



ELLA
GROUP



Pedestal line

CENOVNIK | PRICE LIST

2026

ELEVATE YOUR POINT OF VIEW

MADE IN ITALY



Izrađeno od kontrolisanih industrijskih plastičnih materijala koji su reciklirani i mogu ponovo da se recikliraju. Brinite o životnoj sredini: višak materijala odložite u kontejner za plastiku, nemojte ga ostavljati u okolini jer je reciklaža važna za sve nas.

Made with controlled, recycled and recyclable industrial plastics. Take care of the environment: put any surplus material in the plastic container, do not abandon it in the environment, recycling is important for everyone.

Karakteristike

Features

	PrimeUp	Lunar Support	MiniPro	BalancePro	Martinetto	MiniMart	Megamart S	SteelMart	BalancePro V0
Podešavanje ključem Key adjustment	✗	✓	✓	✓	✗	✗	✗	✗	✓
Bočno podešavanje Lateral adjustment	✓	✓	✓	✓	✓	✓	✓	✓	✓
Samonivelišuća glava Selflevelling Head	✗	✓	✓	✓	✗	✗	✗	✓	✓
Fiksna glava Fixed head	✓	✓	✓	✓	✓	✓	✓	✓	✓
AntiShock	✗	✓	✓	✓	✗	✗	✗	✗	✓
Jednodelno telo Single part	✓	✓	✓	✓	✗	✓	✓	✓	✓
Rail System	✓	✓	✓	✓	✗	✓	✓	✓	✓
RumorStop Acoupad	✓	✓	✓	✓	✓	✓	✓	✗	✓
WallClip	✓	✓	✓	✓	✓	✓	✓	✓	✓
SideClip	✗	✓	✓	✓	✓	✓	✓	✓	✓
Otporno na vatru Fire resistant	✗	✗	✗	✗	✗	✗	✗	✓	✓
Korektor nagiba Slope corrector	✗	✓	✓	✓	✓	✗	✓	✗	✓

Video | Videos



Istražite našu kolekciju video sadržaja kako biste saznali više o svetu Impertek: **noviteti proizvoda, tutorijali za pravilnu montažu i praktični vodiči za instalaciju** pratiće vas u svakoj fazi projekta.

Explore our video collection to learn more about the world of Impertek: **product updates, assembly tutorials and practical installation guides** to support you through every stage of your project.

Potrošnja | Consumption

KAKO IZRAČUNATI POTROŠNJU? | HOW TO CALCULATE CONSUMPTION?

PLOČICA

Ovo je indikativni proračun i ne uključuje potrošnju u vezi sa perimetrom (ivicama). Za precizan proračun perimetralne potrošnje potrebno je izraditi plan polaganja pločica i ručno ih izbrojati. Alternativno, proračun možete izvršiti pomoću našeg on-line softvera MegaPro 4.0. Na sledećem crtežu se lako može razumeti kako se perimetralna potrošnja po kvadratnom metru razlikuje ako posmatramo kvadratni metar u uglu (A) gde je potrošnja 6,5 komada (maksimalni uticaj), ili duž perimetra (B) gde potrošnja pada na 5 komada (prosečan uticaj) ili u slučaju kvadratnog metra unutar površine (C) gde potrošnja pada na 4 komada.

Savetujemo da nikada ne prelazite razmak od 60 cm bez potpore.

We recommend never exceeding a 60 cm framework without a support.


Primer: $1:0,50:0,50 = 4,00$ komada po m^2 (što odgovara 1 komadu po ploči)

We recommend never exceeding a 60 cm framework without a support.

l = stranica pločice | side of the tile

TILE

This is a rough count and does not include consumption related to the perimeter. To calculate the perimeter consumption accurately, one needs to layout the tiles and count them manually. Alternatively, use our online software MegaPro 4.0 to calculate the count. In the drawing below, you can easily understand how the perimeter consumption per square metre is different if we consider a square metre in a corner (A) where consumption is 6.5 pcs (maximum incidence) or along the perimeter (B) where consumption drops to 5 pcs (average incidence) or in the case of a square metre inside the area (C), where consumption drops to 4 pcs and equals one piece per tile, as shown in our formula.



Tabele za obračun potrošnje: navedene tabele sadrže isključivo matematički proračun; sve varijable na gradilištu su isključene, stoga su vrednosti potrošnje indikativne i preporučujemo da se gore navedene vrednosti povećaju za oko 10%. Preporučujemo da se uvek obratite našim specijalizovanim tehničarima za detalje u vezi sa brojanjem potpora.

Consumption Calculation Tables: the Tables indicated contain a pure mathematical calculation, any site variables are excluded, therefore the consumption values are indicative and we invite you to increase the values indicated above by approximately 10%. We recommend that you always contact our specialised technicians for details regarding the counting of the supports.

DECKING

Za okvirni proračun pri ugradnji decking sistema dovoljno je poznavati razmak između lajsni (drvenih, aluminijumskih ili WPC greda podkonstrukcije) i razmak između jednog i drugog nosača (vidi crtež): dakle, ako su oba razmaka 40 cm, okvirnu potrošnju pronaći ćete na preseku kolone od 40 cm i reda od 40 cm. Obično su ta dva razmaka jednaka, zbog čega su u tabeli prikazane samo dimenzije koje formiraju hipotetički kvadrat. I kod deckinga proračun je isključivo informativan i daje približnu predstavu o broju nosača po kvadratnom metru, ali ne uključuje potrošnju nosača duž celog perimetra. Za precizan obračun potrošnje na obodu potrebno je izraditi plan postavljanja poda i ručno izračunati broj nosača duž ivica (obično se jedna lajsna postavlja duž celog perimetra). Alternativno, proračun možete izvršiti pomoću našeg online softvera za izračunavanje MegaPro 4.0.


DECKING

For the approximate calculation with the laying of the decking it is sufficient to know the framework between the joists (wooden joists, aluminium, WPC of the substructure) and the framework between supports (see drawing): if your frameworks are both 40 cm, you can find the approximate consumption at the intersection of the 40 cm column with the 40 cm row. The two frameworks are usually identical and this is why the table only reports the sizes forming a hypothetical square. Also with decking, the count is only approximate and gives a rough idea of the necessary number of supports per square metre, but it does not calculate the consumption of supports along the whole perimeter. For an accurate calculation of the perimeter consumption, plan the floor and manually count the consumption of supports along the edge (a joist is laid along the whole perimeter). Alternatively, use our online software MegaPro 4.0 to calculate the count.


UGRADNJA PODOVA SA PLOČICAMA
INSTALLATION WITH TILE FLOORS

TILE


20 x 120 cm | 8,30 pz/m²




30 x 120 cm | 5,50 pz/m²




40 x 120 cm | 4,20 pz/m²




60 x 120 cm | 2,80 pz/m²




45 x 90 cm | 4,90 pz/m²




90 x 90 cm | 4,90 pz/m²




60 x 90 cm | 3,70 pz/m²




40 x 80 cm | 6,20 pz/m²




80 x 80 cm | 6,20 pz/m²




40 x 40 cm | 6,20 pz/m²




50 x 50 cm | 4,00 pz/m²



30 x 60 cm | 5,50 pz/m²



60 x 60 cm | 2,80 pz/m²



1 : L 1 : L 2
(1 : L1 : L2) : 2

VIŠE | PLUS

Napominjemo da su prikazani okvirni proračuni i ne uključuju obim ili nepravilne oblike.

We highlight that the counts are indicative and do not consider account perimeter or irregular shapes.

		L 2			
		cm	40	50	60
L 1	20				8,30
	30				5,50
	40		6,20		4,20
	50			4,00	
	60				2,80


		L 2			
		cm	80	90	120
L 1	20				8,30
	30				5,50
	40		6,20	5,50	4,20
	60			3,70	2,80
	80		6,20		
	90			4,90	1,80

UGRADNJA PODOVA SA DECKINGOM
INSTALLATION WITH DECKING FLOORS

DECKING

i 1 = 40 cm

i 2 = 40 cm





1 : i 1 : i 2

		i 2				
		cm	35	40	45	50
i 1	35		8,20			
	40			6,20		
	45				5,0	
	50					4,0

PrimeUp


Za druge visine i debljine krilaca pogledajte str. 24
For other tabs heights and thicknesses see page 24



deb. | thk 2 mm deb. | thk 4 mm

PRIMEUP TILE

Produžetak h 5 mm
uključen u cenu
Extension h 5 mm
included in the price



IMG.	H.min-max	ID	ŠIFRA CODE	ID	ŠIFRA CODE	€ kom.	PAK each	PACK	PLT
A	10-15 mm	PU201	240K621-001-010	PU401	240K626-001-010	1,55	20	1500	
A	10-20 mm	PU202	240K621-001-015	PU402	240K626-001-015	2,29	20	/	
	10-25 mm	PU203	240K621-001-020	PU403	240K626-001-020	3,03	20	/	

N.B: Glava, telo i produžeci su upakovani odvojeno | Headpiece, body and extensions in separate packages

PLT H120


PRIMEUP RAIL




d 60 mm



d 40 mm



Produžetak h 5 mm
uključen u cenu
Extension h 5 mm
included in the price



IMG.	H.min-max	ID	ŠIFRA CODE	ID	ŠIFRA CODE	€ kom.	PAK each	PACK	PLT
A	10-15 mm	PUR61	240K660-001-010	PUR41	240K665-001-010	1,55	20	1500	
A	10-20 mm	PUR62	240K660-001-015	PUR42	240K665-001-015	2,29	20	/	
	10-25 mm	PUR63	240K660-001-020	PUR43	240K665-001-020	3,03	20	/	

N.B: Glava, telo i produžeci su upakovani odvojeno | Headpiece, body and extensions in separate packages

PLT H120


PRIMEUP DECKING



d 60 mm



d 70 mm



Produžetak h 5 mm
uključen u cenu
Extension h 5 mm
included in the price




IMG.	H.min-max	ID	ŠIFRA CODE	ID	ŠIFRA CODE	€ kom.	PAK each	PACK	PLT
A	10-15 mm	PUL01	240K650-001-010	PUD01	240K655-001-010	1,60	20	1500	
A	10-20 mm	PUL02	240K650-001-015	PUD02	240K655-001-015	2,34	20	/	
	10-25 mm	PUL03	240K650-001-020	PUD03	240K655-001-020	3,08	20	/	

N.B: Glava, telo i produžeci su upakovani odvojeno | Headpiece, body and extensions in separate packages

PLT H120

DODATNI PRIBOR | EXTRA ACCESSORIES



Produžetak visine 5 mm
Extension h 5 mm

ID	ŠIFRA CODE	€ kom. each	PAK PACK	PLT
PB205	240-500-405-001	0,740	20	4900

PLT H120



WallClip


ID	ŠIFRA CODE	€ kom. each	PAK PACK
CLP01	240-935-100-001	1,00	50
CL-01	240-930-100-001	3,60	50

*Gumeni nivelator h 2,5 mm
Rubber Leveller h 2,5 mm



ID	ŠIFRA CODE	€ kom. each	PAK PACK
LG-25	240-910-150-003	0,388	100

* Preporučuje se 10% za svaku porudžbinu
10% recommended for each order



RumorStop h 5 mm
Acoupad h 5 mm

ID	ŠIFRA CODE	€ kom. each	PAK PACK
RS-05	240-230-100-005	2,50	50


Glava za Top Rail
Top Rail Head



Moguće koristiti
samo uz Easy Rail
Usable only with
Easy Rail

ID	ŠIFRA CODE	deb. thk (mm)	€ kom. each	PAK PACK
TR200	240-276-010-002	2	1,04	25
TR400	240-276-010-004	4	1,04	25

Aluminijumska lajsna **Easy Rail** 60x20x2 mm (šipke dužine 2 m)
Aluminum joist Easy Rail 60x20x2 mm (2ml bars)



ID	ŠIFRA CODE	€/ml	PAK PACK
MAR60	420-705-020-060	16,00	10 ML

Aluminijumska lajsna **Mini Rail** 40x20x2 mm (šipke dužine 2 m)
Aluminum joist Mini Rail 40x20x2 mm (2ml bars)



ID	ŠIFRA CODE	€/ml	PAK PACK
MAR40	420-705-020-040	12,00	10 ML

Umetak za lajsnu 20x60x2 mm
Joist fit 20x60x2 mm



ID	ŠIFRA CODE	€ kom. each	PAK PACK
IM-60	240-300-075-003	0,577	100

Umetak za lajsnu 20x40x2 mm
Joist fit 20x40x2 mm



ID	ŠIFRA CODE	€ kom. each	PAK PACK
IM-40	240-300-075-001	0,555	100

Klips za dvostruku podkonstrukciju za Easy Rail
Clip for double understructure for Easy Rail



ID	ŠIFRA CODE	€ kom. each	PAK PACK
CDO60	240-300-100-060	0,514	20

Klips za dvostruku podkonstrukciju za Easy Rail
Clip for double understructure for Easy Rail




ID	ŠIFRA CODE	€ kom. each	PAK PACK
CDO40	240-300-100-040	0,407	20

MiniPro TILE / RAIL

SAMONIVELIŠUĆI | SELF-LEVELLING

Podesivo odozgo pomoću ključa*
Adjustable from the top thanks to PocketKey*

Bočno podešavanje
Lateral adjustment




Produžetak MiniDome uključen u pakovanje



Širina glave 150 mm
Head width 150 mm

MiniDome extension included in the box

Od 25 do 50 mm sa jednim proizvodom
From 25 to 50 with a single product



* deb. 2 mm bez podešavanja odozgo
* deb. 4 mm sa podešavanjem odozgo
* thk. 2 mm without adjustment from the top
* thk. 4 mm with adjustment from the top

IMG.	H.min-max	deb. thk 2 mm		deb. thk 4 mm		€ kom. each	PAK PACK	PLT
		ID	ŠIFRA CODE	ID	ŠIFRA CODE			
/	25-50 mm *	MP201	240-810-001-025	MP401	240-820-001-025	4,60	20	480

*25 - 37,5 mm -> 37,5 - 50 mm uključen set | kit included PLT H120

PRODUŽETAK | EXTENSION

DOME se postavlja između glave i vijka
DOME applicable between head and screw

Produžetak DOME v 25 mm
DOME extension h 25 mm

ID	ŠIFRA CODE	€ kom. each	PAK PACK	PLT
DE-25	240-700-610-025	0,75	40	1800



DOME

Završna visina
Total height

50-75 mm

Proizvod se prodaje zasebno | Product sold separately

PLT H120

Može se slagati (maksimalno 3) | Stackable (max 3 x DE-25)


TILE




JEDNA GLAVA DVOSTRUKA | ONE HEAD
FUNKCIONALNOST | DOUBLE FUNCTION



RAIL / DECKING



POCKET KEY PK-BP
cod. 240-940-050-004
17,53 €/each
1 pz/pcs per pak/pack
Nije uključeno u kutiju
Not included in the box



BLOKADA NAGIBA
FIX RING
BB-BP
20 pz/pcs per pak/pack
Uključeno u kutiju
Included in the box

DODATNI PRIBOR | EXTRA ACCESSORIES

Glava za Top Rail
Top Rail Head



Moguće koristiti samo uz Easy Rail
Usable only with Easy Rail


ID	ŠIFRA CODE	deb. thk (mm)	€ kom. each	PAK PACK
TR200	240-276-010-002	2	1,04	25
TR400	240-276-010-004	4	1,04	25

WallClip



ID	ŠIFRA CODE	€ kom. each	PAK PACK
CLP01	240-935-100-001	1,00	50
CL-01	240-930-100-001	3,60	50

Aluminijumska lajsna Easy Rail 60x20x2 mm (šipke dužine 2 m)
Aluminum joist Easy Rail 60x20x2 mm (2ml bars)



ID	ŠIFRA CODE	€/ml	PAK PACK
MAR60	420-705-020-060	16,00	10 ML



Set SideClip za perimetar
Perimeter SideClip Kit

ID	ŠIFRA CODE	€ kom. each	PAK PACK
CL-06	240-930-100-005	16,83	30

Klipovi se koriste samo sa keramikom debljine 20 mm
Clips usable only with 20 mm thick ceramic

Umetak za lajsnu 20x60x2 mm
Joist fit 20x60x2 mm




ID	ŠIFRA CODE	€ kom. each	PAK PACK
IM-60	240-300-075-003	0,577	100

Klips za dvostruku podkonstrukciju za Easy Rail
Clip for double understructure for Easy Rail



ID	ŠIFRA CODE	€ kom. each	PAK PACK
CDO60	240-300-100-060	0,514	20

Set SideClip ugaoni
Corner SideClip Kit



ID	ŠIFRA CODE	€ kom. each	PAK PACK
CL-07	240-930-110-005	37,60	4

Klipovi se koriste samo sa keramikom debljine 20 mm
Clips usable only with 20 mm thick ceramic

BORDER SHIELD



Border Shield je Impertek dodatak dizajniran da osigura perimetar uzdignutih podova na terasama i ivicama bazena, sprečavajući pomeranje ili prevrtanje pločica. Jednostavan za instalaciju, kompatibilan sa Pedestal Line nosačima i može se pregledati čak i nakon postavljanja.


Border Shield is the Impertek accessory designed to secure the perimeter of raised floorings on terraces and pool edges, preventing tile shifting or tipping. Easy to install, compatible with Pedestal Line supports and inspectable even after installation, Border Shield ensures a stable, safe and refined finish in every detail.

ID	ŠIFRA CODE	€ kom. each	PAK PACK
BS-00	240-990-100-001	7,90	20

BalancePro TILE


SAMONIVELIŠUĆI | SELF-LEVELLING

Podesivo odozgo pomoću ključa*
Adjustable from the top thanks to PocketKey*



Za visine do 25 mm vidi str. 6
For heights up to 25 mm see page 6

* deb. 2 mm bez podešavanja odozgo
* deb. 4 mm sa podešavanjem odozgo
* thk. 2 mm without adjustment from the top
* thk. 4 mm with adjustment from the top



deb. | thk 2 mm deb. | thk 4 mm

IMG.	H.min-max	ID	ŠIFRA CODE	ID	ŠIFRA CODE	€ kom. each	PAK PACK	PLT
B	25-30 mm	BP201*	240-710-001-025	BP401	240-720-001-025	4,28	20	480
C	30-37 mm	BP202*	240-710-001-030	BP402	240-720-001-030	4,53	20	480
D	37-50 mm	BP203*	240-710-001-037	BP403	240-720-001-037	4,87	20	320
E	50-75 mm	BP204*	240-710-001-050	BP404	240-720-001-050	5,73	20	320
F	75-125 mm	BP205*	240-710-001-075	BP405	240-720-001-075	6,48	20	240
G	125-225 mm	BP206*	240-710-001-125	BP406	240-720-001-125	8,90	20	240
	225-325 mm	BP207*	240K710-001-225	BP407	240K720-001-225	11,38	20	/
	325-425 mm	BP208*	240K710-001-325	BP408	240K720-001-325	13,86	20	/
	425-525 mm	BP209*	240K710-001-425	BP409	240K720-001-425	16,34	20	/
	525-625 mm	BP210*	240K710-001-525	BP410	240K720-001-525	18,82	20	/
	625-725 mm	BP211*	240K710-001-625	BP411	240K720-001-625	21,30	20	/
	725-825 mm	BP212*	240K710-001-725	BP412	240K720-001-725	23,78	20	/
	825-925 mm	BP213*	240K710-001-825	BP413	240K720-001-825	26,26	20	/
	925-1025 mm	BP214*	240K710-001-925	BP414	240K720-001-925	28,74	20	/

1x

2x

3x

4x

5x

6x

7x

8x



PBP10

Produžetak h 100 mm
uključen u cenu
Extension h 100 mm
included in the price


G

* Materijali dostupni samo po porudžbini sa rokovima isporuke po dogovoru. Cena se odnosi na komplet nosač sa glavom. | Materials available only on order with timing to be agreed. Price refers to both body and head.

PLT H120



POCKET KEY PK-BP
cod. 240-940-050-004
17,53 €/each
1 pz/pcs per pak/pack
Nije uključeno u kutiju
Not included in the box



BLOKADA NAGIBA
FIX RING
BB-BP
20 pz/pcs per pak/pack
Uključeno u kutiju
Included in the box



BLOKATOR ROTACIJE
TWIST LOCK RING
BR-BP
20 pz/pcs per pak/pack
Uključeno u kutiju
Included in the box

DODATNI PRIBOR | EXTRA ACCESSORIES



ID	ŠIFRA CODE	€ kom. each	PAK PACK	PLT
DE-25	240-700-610-025	0,75	40	1800

Može se slagati (maksimalno 3x DE-25) | Stackable (max 3 x DE-25) PLT H120

DOME DE-25

Dome je produžetak dizajniran sa sistemom uklapanja iznad centralnog vijka nosača koji ga produžava za 25 mm.

DOME DE-25

Dome is the extension designed with an interlocking system over the central screw of the support that extends it to 25 mm.

Produžeci EX-05 (5 mm) i EX-10 (10 mm)
Extensions EX-05 (5 mm) and EX-10 (10 mm)



ID	ŠIFRA CODE	€ kom. each	PAK PACK
EX-05	240-700-610-005	1,26	20
EX-10	240-700-610-010	1,54	20

WallClip



ID	ŠIFRA CODE	€ kom. each	PAK PACK
CLP01	240-935-100-001	1,00	50
CL-01	240-930-100-001	3,60	50

Produžetak PBP10 (h 100 mm)
Extension PBP10 (h 100 mm)



ID	ŠIFRA CODE	€ kom. each	PAK PACK	PLT
PBP10	240-700-603-006	2,48	20	360

PLT H120




Bočni perimetralni klips kit
Perimeter SideClip Kit


ID	ŠIFRA CODE	€ kom. each	PAK PACK
CL-06	240-930-100-005	16,83	30

Klipovi se koriste samo sa keramikom debljine 20 mm
Clips usable only with 20 mm thick ceramic

RumorStop h 5 mm
Acoupad h 5 mm



ID	ŠIFRA CODE	€ kom. each	PAK PACK
RS-05	240-230-100-005	2,50	50




Bočni ugaoni klips kit
Corner SideClip Kit

ID	ŠIFRA CODE	€ kom. each	PAK PACK
CL-07	240-930-110-005	37,60	4

Klipovi se koriste samo sa keramikom debljine 20 mm
Clips usable only with 20 mm thick ceramic

BORDER SHIELD




Border Shield je Impertek dodatak dizajniran da osigura perimetar uzdignutih podova na terasama i ivicama bazena, sprečavajući pomeranje ili prevrtanje pločica. Jednostavan za instalaciju, kompatibilan sa Pedestal Line nosačima i može se pregledati čak i nakon postavljanja.

Border Shield is the Impertek accessory designed to secure the perimeter of raised floorings on terraces and pool edges, preventing tile shifting or tipping. Easy to install, compatible with Pedestal Line supports and inspectable even after installation, Border Shield ensures a stable, safe and refined finish in every detail.

ID	ŠIFRA CODE	€ kom. each	PAK PACK
BS-00	240-990-100-001	7,90	20

EDGEPLATE



EdgePlate pojednostavljuje i usavršava lepljenje pločica duž perimetra uspona i stepenica. Sastoji se od dve ploče koje se postavljaju na glavu i bazu nosača, opremljen je otvorima i češljevima koji vode lepak, osiguravajući sigurno lepljenje perimetralnih pločica, za čistu, otpornu i tehnički besprekornu postavku.

EdgePlate simplifies and refines tile bonding along riser and step edges. Made of two plates placed at the top and base of the support, it features holes and combs that guide the adhesive, ensuring a secure and lasting bond of perimeter tiles for a clean, durable and technically flawless installation.


ID	ŠIFRA CODE	€ kom. each	PAK PACK
EP-00	240-935-200-005	3,10	40

* Cena po komadu (ne po paru). | Price per piece (not per pair).

GravitySystem



GRAVITYGRID




To je srce sistema: garantuje sigurnost i stabilnost poda, čak i u slučaju loma pločica.

It's the heart of the system: it guarantees safety and stability for flooring, even in the event of tile breakage.

ID	ŠIFRA CODE	DIMENZIJE SIZE	€ kom. each	PLT*
GS-GG	270-000-000-000	597×597 mm	30,50	120

*Ne može se slagati jedan na drugi / Not stackable

GRAVITYSPACER





Pojednostavljuje postavljanje pločica, čak i onih različitih formata, garantujući sigurnu i estetski savršenu instalaciju bez potrebe za lepljenjem završne obrade.

It simplifies the installation of tiles, even multi-format, ensuring a safe and aesthetically perfect installation without the need to glue the finish.

ID	ŠIFRA CODE	DIMENZIJE SIZE	€ kom. each	PAK PACK
GS-S2	270-000-500-002	2 mm	1,05	100
GS-S4	270-000-500-004	4 mm	1,05	100

GRAVITYSNAP




To je dodatak dizajniran za međusobno povezivanje GravityGrid mreža u svim situacijama gdje nije predviđeno lepljenje pločica, sprečavajući eventualno pomicanje mreža.

It's the accessory designed to connect GravityGrids together in all situations where tile bonding is not required, preventing any movement of the grids.

ID	ŠIFRA CODE	€ kom. each	PAK PACK
GS-GS	270-000-200-005	0,75	100

Nije kompatibilno sa GravityCover, GravityFit i metalnim ojačavajućim profilom.
Incompatible with GravityCover, GravityFit and metal reinforcement profile.

GRAVITYFIT




Ubrzava i pojednostavljuje instalaciju GravityGrid-a direktno na glavu nosača, garantujući precizno postavljanje i omogućavajući naknadni pregled sistema.

It speeds up and simplifies the installation of GravityGrid directly on the head of the supports, ensuring a precise installation while keeping the system inspectable.

ID	ŠIFRA CODE	€ kom. each	PAK PACK
GS-GF	270-000-200-001	0,75	60

Nije kompatibilno sa GravitySnap, GravityCover i metalnim profilom za ojačanje.
Incompatible with GravitySnap, GravityCover and metal reinforcement profile.

GRAVITYCOVER




Dizajniran je za postavljanje veštačke trave: garantuje savršenu pokrivenost svih otvora kako bi se sprečio rizik od uleganja. Opremljen drenažnim otvorima, omogućava oticanje vode, obezbeđujući dugotrajnost veštačke trave.

It's designed for the installation of synthetic grass surfaces: it ensures perfect coverage of every openings to prevent any risk of sinking. Equipped with drainage holes, it allows water to flow through, preserving the integrity of the synthetic surface over time.

ID	ŠIFRA CODE	€ kom. each	PAK PACK
GS-CV	270-000-500-100	3,90	60

Nije kompatibilno sa GravitySnap, GravityFit i metalnim profilom za ojačanje kod nosača deb. 4 mm (samo sa spajanjem GravityGrid-a preko GravityCover-a). | Incompatible with GravitySnap, GravityFit, and the metal reinforcement profile with 4 mm thick supports (only when GravityGrid are connected via GravityCover).

METALNI PROFIL ZA OJAČANJE | METAL REINFORCEMENT PROFILE



ID	ŠIFRA CODE	€ kom. each	PAK PACK
GS-GP	270-000-420-030	1,60*	40

* Na cenu se ne odobrava popust. | Non-discountable price.

Nije kompatibilno sa GravitySnap, GravityFit i GravityLock+GravityCross.
Incompatible with GravitySnap, GravityFit and GravityLock + GravityCross.

TOPKEY



Nosači uvek ostaju podesivi po visini zahvaljujući TopKey ključu; čak i nakon završetka poda moguće je ispraviti eventualne neravnine, garantujući uvek savršen estetski rezultat.

Supports are always height-adjustable thanks to the TopKey; even after the flooring is installed, it is possible to correct any unevenness, ensuring a perfect aesthetic result.

ID	ŠIFRA CODE	€ kom. each	PAK PACK
TK-BP	240-940-050-010	39,50	1

Sistem protiv vetra | Windproof system

GRAVITYLOCK



BalancePro / MiniPro

Lunar Support

GravityLock fiksira mrežu za nosač, garantujući sigurnost, optimalnu stabilnost i olakšano održavanje; GravityCross stvara estetske i ujednačene fuge od 4 mm.

GravityLock secures the grid to the support, ensuring safety, optimal stability and easy maintenance; GravityCross, on the other hand, creates uniform and visually attractive 4 mm joints.

ID	ŠIFRA CODE	€ kom. each	PAK PACK
GS-LB	270-000-100-700	1,00	120
GS-LL	270-000-100-400	1,00	120

Nije kompatibilno sa metalnim profilom za ojačanje. | Incompatible with metal reinforcement profile.

GRAVITYCROSS



ID	ŠIFRA CODE	€ kom. each	PAK PACK
GS-GC	270-000-100-004	0,50	120

DeckoLight TILE/RAIL & DECKING

SAMONIVELIŠUĆI | SELF-LEVELLING

Podešavanje odozgo pomoću PocketKey
Adjustable from the top thanks to PocketKey

Bočno podešavanje
Lateral adjustment



DeckoLight je novi Impertek nosač od polipropilena visoke otpornosti, dizajniran za direktno postavljanje na tlo bez potrebe za bazama ili temeljima. Idealan za spoljne uzdignute podove, osigurava stabilnost, preciznost i sigurnost. Kompatibilan sa Lunar Decking i Tile/Rail glavama, omogućava postavljanje keramike, kamena i dekinga na jednom sistemu, idealno za bašte i staze na otvorenom.

Deckolight is Impertek's new high-strength polypropylene support, designed for direct installation on the ground without the need for bases or foundations. Ideal for elevated outdoor flooring, it ensures stability, precision, and safety. Compatible with Lunar Decking and Tile/Rail heads, it allows the installation of ceramic, stone, and decking on a single system, making it perfect for gardens and outdoor walkways.



	ŠIFRA CODE	€ kom. each	PAK PACK
DeckoLight Decking	240K915-100-470	68,00	20
DeckoLight Tile/Rail	240K915-100-420	68,00	20

DODATNA OPREMA | EXTRA ACCESSORIES



Adapter za zavrtnanje DeckoLight
DeckoLight screwing adapter

ŠIFRA CODE	€ kom. each	PAK PACK
240-915-100-100	125,00	1



Produžetak PLS20 h 20 mm
PLS20 extension h 20 mm

ID	ŠIFRA CODE	€ kom. each	PAK PACK	PLT
PSL20**	240-400-180-020	0,70	40	3000

*Maksimalno 3 produžetka koji se mogu slagati | Max 3 extensions. PLT H120



Produžetak PLS80 h 80 mm
PLS80 extension h 80 mm

ID	ŠIFRA CODE	€ kom. each	PAK PACK	PLT
PSL80**	240-400-180-080	1,50	20	1200

*Maksimalno 3 produžetka koji se mogu slagati | Max 3 extensions. PLT H120



PocketKey
PocketKey

ID	ŠIFRA CODE	€ kom. each	PAK PACK
PK-BP	240-940-050-004	17,53	1



AB-SL prsten za nivelaciju
AB-SL balance ring

ID	ŠIFRA CODE	€ kom. each	PAK PACK
AB-SL	240-400-180-001	0,50	100

MegaPro 4.0

WEB-APP ZA PROJEKTOVANJE POSTAVLJANJA
WEB-APP FOR LAYING DESIGN



MegaPro 4.0 web app Impertek je napravljena za projektovanje spoljnih uzdignutih podova sa nosačima Pedestal Line Impertek.

Dostupna je online uz prethodnu registraciju i nudi napredne alate za prilagođavanje tehničkih crteža, izbor najpogodnijih podupirača, konfiguraciju završnih obloga (deking, pločice, rail sistem) i generisanje specifikacija sa korišćenim proizvodima.

Sačuvajte svoje projekte i radite na profesionalan i intuitivan način.


Saznajte više na megapro.impertek.it/it

MegaPro 4.0 is Impertek's web app designed for planning outdoor raised flooring using the supports from Impertek's Pedestal Line.

Accessible online after registration, it offers advanced tools to customize technical drawings, select the most suitable supports, configure finishes (decking, tiles, rail system), and generate bills of materials for the products used.

Save your projects and work professionally and intuitively.

Learn more at megapro.impertek.it/en






Ubacite svoj crtež

Upload your plan

*Navedite visine područja,
podupirače i podatke o podu*
*Specify heights of supports
area and flooring data*

*Izvezite PDF sa
specifikacijom podupirača*
Export the list of supports in PDF





Sync

SYNC, PLUGIN ZA AUTODESK REVIT POSVEĆEN IMPERTEK PROIZVODIMA

THE PLUGIN FOR AUTODESK REVIT DEDICATED TO IMPERTEK PRODUCTS

Sync za Autodesk Revit je novi Impertek dodatak, namenjen tehničkim biroima, arhitektama i inženjerima, koji omogućava projektovanje uzdignutih podova sa Impertek nosačima.

Integrisan u CAD i BIM softver Revit, omogućava izračunavanje visina, izvoz specifikacija u Excel i upravljanje više projekata istovremeno.

Jednostavan za instalaciju i ažuriranje, dostupan je besplatno na zahtev sa ličnom licencom.

Sync poboljšava efikasnost i integraciju u projektovanju, potvrđujući Impertekovu posvećenost inovacijama.

Sync for Autodesk Revit is the new plugin by Impertek, designed for technical studios, architects, and engineers, enabling the design of raised flooring with Impertek supports.

Fully integrated with Revit CAD and BIM software, it allows height calculations, Excel bill-of-material exports, and simultaneous management of multiple projects. Easy to install and update, it is available for free upon request with a personal license.

Sync enhances efficiency and integration in design, reaffirming Impertek's commitment to innovation.

IMPERTEK Srl

via Po 507 · 30022 · Ceggia · Venezia · Italy
T +39 0421 322 525 r.a · F +39 0421 322 756
info@impertek.com · www.impertek.com

Pedestal Line

Cenovnik | Pricelist
Važi od 1. marta 2026 | Valid from 1st of March 2026

Release

2026_Rev00

Art direction

Visualcom s.r.l.u.

Images and communication design:

Visualcom s.r.l.u.

Sva prava su zadržana. Nijedan deo ove brošure ne može se reprodukovati ni u kom obliku bez odobrenja kompanije Impertek s.r.l. | All right reserved. No part of this publication may be reproduced in any form without prior permission from Impertek s.r.l.



impertek.com

Posetite naš sajt i registrujte se da biste pristupili dodatnom sadržaju!
Visit our website and sign up to access more content!



Via Po 507, Ceggia (VE) Italy
Tel. +39 0421 322525 r.a. - Fax +39 0421 322756
info@impertek.com - www.impertek.com



ELLA

GROUP

www.ellagroup.rs

Autoput za Novi Sad 101
11283 Beograd-Zemun

+381 11 438 17 19 | +381 69 607 299

ellagroup@lyctum.com



ELLA BRICK



ELLADECK
PREMIUM



ELLA ACOUSTIC
PANELS



Zvaničan partner firme Impertek SRL za tržište Srbije, Crne Gore, Bosne i Hercegovine i Makedonije.